

NICKEL-ALUMINIUM ALLOY POWDER EXTRA PURE MSDS



LABORATORY REAGENTS
& FINE CHEMICALS

CAS No: 12003-78-0 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS No : 12003-78-0
Product code : 04865

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

LOBA CHEMIE PVT.LTD.
107 Wode House Road, Jehangir Villa, Colaba
400005 Mumbai - INDIA
T +91 22 6663 6663 - F +91 22 6663 6699
info@lobachemie.com - www.lobachemie.com

1.4. Emergency telephone number

Emergency number : + 91 22 6663 6663 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, H228
Category 1
Sensitisation — Skin, H317
category 1
Carcinogenicity, Category H351
2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40
F; R15
R43

Full text of R-phrases: see section 16

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H228 - Flammable solid
H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : NICKEL-ALUMINIUM ALLOY POWDER Extra Pure
CAS No : 12003-78-0

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause an allergic skin reaction.
Chronic symptoms : Suspected carcinogen.

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Keep away from any possible contact with water, because of violent reaction and possible flash fire.
Precautions for safe handling : Protect from moisture. Handle under inert gas. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Protect from moisture.
Incompatible materials : Keep away from any possible contact with water, because of violent reaction and possible flash fire.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: In contact with water releases flammable gases which may ignite spontaneously
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable solid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3089
UN-No. (IMDG)	: 3089
UN-No.(IATA)	: 3089
UN-No.(ADN)	: 3089
UN-No. (RID)	: 3089

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (IMDG)	: METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (IATA)	: METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (ADN)	: METAL POWDER, FLAMMABLE, N.O.S.
Proper Shipping Name (RID)	: METAL POWDER, FLAMMABLE, N.O.S.
Transport document description (ADR)	: UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, (E)
Transport document description (IMDG)	: UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II
Transport document description (IATA)	: UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II
Transport document description (ADN)	: UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II
Transport document description (RID)	: UN 3089 METAL POWDER, FLAMMABLE, N.O.S., 4.1, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 4.1
Danger labels (ADR)	: 4.1



IMDG

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

Transport hazard class(es) (IMDG) : 4.1
Danger labels (IMDG) : 4.1



IATA

Transport hazard class(es) (IATA) : 4.1
Hazard labels (IATA) : 4.1



ADN

Transport hazard class(es) (ADN) : 4.1
Danger labels (ADN) : 4.1



RID

Transport hazard class(es) (RID) : 4.1
Danger labels (RID) : 4.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F3
Special provision (ADR) : 552
Limited quantities (ADR) : 1kg

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC08
Special packing provisions (ADR)	: B4
Mixed packing provisions (ADR)	: MP11
Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Hazard identification number (Kemler No.)	: 40
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 4Y

- Transport by sea

Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B2, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-G
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: H1
Segregation (IMDG)	: SG17, SG25, SG26
MFAG-No	: 170

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y441
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 445
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 448
CAO max net quantity (IATA)	: 50kg
Special provision (IATA)	: A3
ERG code (IATA)	: 3L

- Inland waterway transport

Classification code (ADN)	: F3
Special provisions (ADN)	: 552
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 1

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

- Rail transport

Classification code (RID)	: F3
Special provision (RID)	: 552
Limited quantities (RID)	: 1kg
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP11
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W1
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 40

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure is not on the REACH Candidate List

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

NICKEL-ALUMINIUM ALLOY POWDER Extra Pure

Safety Data Sheet

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Carc. 2	Carcinogenicity, Category 2
Flam. Sol. 1	Flammable solids, Category 1
Skin Sens. 1	Sensitisation — Skin, category 1
H228	Flammable solid
H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
R15	Contact with water liberates extremely flammable gases
R40	Limited evidence of a carcinogenic effect
R43	May cause sensitisation by skin contact
F	Highly flammable

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product